Journal of Applied Polymer Science

Author Index to Volume 56

Abad, C.
—; De La Cal, J. C.; Asua, J. M.: Emulsion Copolymerization of Vinyl Esters in Continuous Reactors: Comparison Between Loop and Continuous Stirred Tank Reactors, 419
Adachi, K. See Otsuki, S., 697
Affrossman, S. See Bielinski, D. M., 853
Aguilar-Vega, M.
—; Cruz-Ramos, C. A.: Properties of Henequen Cellulosic Fibers, 1245
Ahmad, M. B.
—; O'Mahony, J. P.; Huglin, M. B.; Davis, T. P.; Ricciardone, A. G.: Application of Dielectric Spectroscopy and DSC to the Study of Relaxations in Some Copolymeric Hydrogels, 397
Ajroldi, G. See De Rosa, C., 271
Amin, M. B.
—; Hamid, S. H.; Rahman, F.: Prediction of Mechanical Properties of Weather-Induced Degraded Plastics in Saudi Arabia, 279
Anderson, J. M. See Woolfson, A. D., 1151
Andrews, S. M. See Broadbelt, L. J., 803
Arce-Romero, S. M. See Canche-Escamilla, G., 793
Armes, S. P. See Saurin, M., 41
Armstrong-Carroll, E. See Nay, J. C., 461
Arvanitoyannis, I.
—; Psomiadou, E.; Yamamoto, N.; Blanshard, J. M. V.: Composites of Novel Biodegradable Copolyamides Based on Adipic Acid, 1,6-Hexane Diamine, and L-Glycine with Short E-Glass Fibers. II. Preparation and Properties, 1045
Asabe, H. See Otake, Y., 1789
Asai, S.
—; Saruta, U.; Tobita, M.; Takano, M.; Miyashita, Y.: Development of an Anisotropic Conductive Adhesive Film (ACAF) from Epoxy Resins, 769
Asua, J. M. See Abad, C., 419
Athawale, V. D. See Bhabhe, M. D., 485
Azuma, Y. See Yoshie, N., 17

Bagley, E. B. See Dintzis, F. R., 637
Bajaj, P.
—; Jha, N. K.; Kumar, A.: Effect of Coupling Agents on Thermal and Electrical Properties of Mica/Epoxy Composites, 1339
Banko, A. S.
—; Rebeiz, K. S.; Nesbit, S. M.; Craft, A. P.: Thermomechanical Properties of Unsaturated Polyester Resin Based on Recycled Poly(ethylene terephthalate) (Note), 757
Bantjes, A. See Feng, M., 1231
Baron, D. See Chudnovsky, A., 1465
Barral, L.
—; Cano, J.; López, A. J.; López, J.; Nogueira, P.; Ramírez, C.: Isothermal Cure Kinetics of a Diglycidyl Ether of Bisphenol A/1,3-Bisaminomethylcyclohexane (DGEBA/1,3-BAC) Epoxy Resin System, 1029
Barsola, R. See Kaur, I., 1197
Bastida, S.
—; Eguiazábal, J. I.; Nazábal, J.: Reprocessing of Liquid-Crystal Polymers: Effects on Structure and Mechanical Properties, 1487
Baur, J. W. See Zeik, D. B., 1039
Beard, R. B. See Chun, H.-J., 1505
Belfort, G. See Ulbricht, M., 325
Bell, J. P. See Huang, Y., 1
Beltrame, P. L. See Dubini-Paglia, E., 1007
Berkowicz, B. D.
—; Peppas, N. A.: Characterization of Surgical Adhesives from UV-Polymerized Poly(peg dimethacrylate-*co*-2-hydroxyethyl methacrylate) Copolymers, 715
Berry, S. F. See Lyons, J. S., 1169
Bhabhe, M. D.
—; Galvankar, P. S.; Desai, V. M.; Athawale, V. D.: Copolymers of Methyl Methacrylate and Acrylate Comonomers: Synthesis and Characterization, 485
Bhardwaj, A. See Pande, C. S., 1127
Bhattacharyya, P. See Ganesan, L., 1739
Bhowmick, A. K. See Ganesan, L., 1739
Bi, X. See Zhang, G., 1683
Bielinski, D. M.
—; Slusarski, L.; Affrossman, S.; Hartshorne, M.; Pethrick, R. A.: Influence of Chemical Modification on

Tribological Properties of Elastomers, 853
Bikiaris, D. N. See Karayannidis, G. P., 405
Binns, M. R. See Hunt, S. M., 1589
Biswas, M.
—; Mukherjee, A.: Polymer-Anchored Metal Complexes. III. Preparation, Structural, Thermal Stability, Dielectric, and Conductivity Characterization of Polycondensates from Cu(II)–1,10-Phenanthroline and Trimellitic Anhydride/Pyromellitic Dianhydride, 501
Blanco, R.
—; Rodríguez, R.; García-Garduño, M.; Castaño, V. M.: Morphology and Tensile Properties of Styrene–Butadiene Copolymer Reinforced Asphalt, 57
Blanshard, J. M. V. See Arvanitoyannis, I., 1045
Bortolozzi, R. A. See Deiber, J. A., 967
Bortolus, P. See Minto, F., 747
Boyd, J. T. See Zeik, D. B., 1039
Brill, D. J. See Tuminello, W. H., 495
Broadbelt, L. J.
—; Klein, M. T.; Dean, B. D.; Andrews, S. M.: Thermal Degradation of Aliphatic–Aromatic Polyamides: Kinetics of *N,N'*-Dihexylisophthalamide Neat and in Presence of Copper Iodide, 803
Brown, C. W. See Ge, Z., 667
Brown, M. See Ge, Z., 667
Bruma, M.
—; Mercer, F.; Fitch, J.; Cassidy, P.: Synthesis and Characterization of Fluorinated Poly(imide–amide–sulfone)s, 527
Bui, V. T. See Liu, T. M., 345
Byun, S. W.
—; Im, S. S.: Thermal Stability Studies of Transparent Conducting Polyaniline Composite Films on Their Conductivity and Optical Spectra, 425

Cádiz, V. See Galià, M., 193
Cakmak, M. See Wang, Y. D., 837
Canche-Escamilla, G.
—; Mendizabal, E.; Hernandez-Patiño, M. J.; Arce-Romero, S. M.; Gonzalez-Romero, V. M.: Effect of Morphology on Mechanical and Rheological Properties of Butyl Acrylate–Methyl Methacrylate Multiphase Polymers, 793
Cano, J. See Barral, L., 1029
Caplan, M. L.
—; Stoakley, D. M.; St. Clair, A. K.: Synthesis and Characterization of Self-Metallizing Gold-Doped Polyimide Films, 995
Cascaval, C. N.
—; Robilă, G.; Stoleriu, A.: Thermal Characterization of Some Products Obtained by Chemically Modified Poly(vinyl chloride) with Phenol, 889
Cassidy, P. See Bruma, M., 527
Castaño, V. M. See Blanco, R., 57
Castelli, A. See Dubini-Paglia, E., 1007
Chang, C.-J.
—; Whang, W.-T.; Huang, J.-Y.; Liao, C.-L.; Liu, J.-M.: The Effect of Preparation Process of PMDA–ODA–DR1 Polyimide on Its Second Harmonic Generation Characteristics, 1625
Chang, D.-Y.
—; Chang, F.-C.: *In Situ* Reactive Compatibilized Noryl/LCP Blends, 1015
Chang, F.-C. See Chang, D.-Y., 1015; Liu, W.-B., 545; Lu, M.-L., 1065
Chang, T.-C. See Li, C.-H., 1661
Chang, Y. H. See Yang, S. Y., 1179
Chen, J.
—; Goh, S. H.; Lee, S. Y.; Siow, K. S.: Miscibility Behavior of Blends of Poly(alkyl methacrylate)s with Poly(*p*-methylstyrene-*co*-methacrylonitrile), 761
Chen, R.
—; Gorelik, V.; Silverstein, M. S.: Plasma Polymerization of Hexafluoropropylene: Film Deposition and Structure, 615
Chen, W. C. See Yang, S. Y., 1179
Chen, X.
—; Hu, H.; Yin, J.; Zheng, C.: Miscibility Studies of Poly(ethylene oxide)–Poly(vinyl acetate) Blends by Viscometry Methods, 247
Cheng, S. See Xu, Z., 575
Chern, C. S.
Desorption of Free Radicals in Semibatch Emulsion Polymerization of Methyl Acrylate, 231
—; Diffusion-Controlled Semibatch Emulsion Polymerization of Styrene, 221
Cheung, W. L. See Li, J. X., 881
Chi, Z. G. See Zhu, Y. Q., 1371
Chiu, W.-Y. See Lee, C.-F., 1263
Cho, B.-R.
—; Kardos, J. L.: Consolidation and Self-Bonding in Poly(ether ether ketone) (PEEK), 1435
Chodak, I. See Zamotaev, P., 935
Chohan, R. K.
Entry Pressure and Elastic Behavior of a Branched Polyethylene, 1455
Choi, C. H. See Yoon, L. K., 239
Chorvath, I. See Zamotaev, P., 935
Chu, C. C.
—; Zhang, L.; Coyne, L. D.:

Effect of Gamma Irradiation and Irradiation Temperature on Hydrolytic Degradation of Synthetic Absorbable Sutures, 1275

Chudnovsky, A.
—; Shulkin, Y.; Baron, D.; Lin, K. P.: New Method of Lifetime Prediction for Brittle Fracture of Polyethylene, 1465

Chun, B.-W.
Fluorinated Copolyimides Prepared by One-Shot and Stepwise Monomer Addition Method, 567

Chun, H.-J.
—; Beard, R. B.: Ultraviolet-Induced Graft Reaction of Quinoid Compounds onto Polypropylene Films: Effect of Synthesis Conditions on Hydroquinone-*g*-Polypropylene, 1505

Clarson, S. J. See Zeik, D. B., 1039

Coll, H. See Mourey, T. H., 65

Coqueret, X. See Maschke, U., 1547

Corcuera, M. A. See De Nograro, F. F., 177

Corradini, P. See De Rosa, C., 271

Coyne, L. D. See Chu, C. C., 1275

Craft, A. P. See Banko, A. S., 757

Cruz-Ramos, C. A. See Aguilar-Vega, M., 1245

Cuculo, J. A. See Wu, G., 869

Cui, D. See Yang, J., 831

Cuny, J. See Jonquières, A., 1567

D'Aniello, C. See De Rosa, C., 271

Davis, T. P. See Ahmad, M. B., 397

De Brabander, G. N. See Zeik, D. B., 1039

De Kee, D. See Guo, C. J., 817, 823

De La Cal, J. C. See Abad, C., 419

De Nograro, F. F.
—; Guerrero, P.; Corcuera, M. A.; Mondragon, I.: Effects of Chemical Structure of Hardener on Curing Evolution and on the Dynamic Mechanical Behavior of Epoxy Resins, 177

De Rosa, C.
—; Guerra, G.; D'Aniello, C.; Petraccone, V.; Corradini, P.; Ajroldi, G.: Evaluation of the Amount of Defects in the Comonomer Alternation Included in the Crystal Phase for Ethylene–Tetrafluoroethylene and Ethylene–Chlorotrifluoroethylene Alternating Copolymers, 271

Dean, B. D. See Broadbelt, L. J., 803

Deiber, J. A.
—; Bortolozzi, R. A.; Peirotti, M. B.: Modeling the Vulcanization of Rubbers in an Oscillating Bicone Cell, 967

Deki, S. See Nagata, K., 1313

Deng, X. See Zhang, L., 103

Dennis, G. R. See Elvy, S. B., 591

Deopura, B. L. See Mehta, S., 169

Desai, V. M. See Bhabhe, M. D., 485

Di Martino, S.
—; Kelchtermans, M.: Determination of the Composition of Ethylene–Propylene–Rubbers Using ^{13}C-NMR Spectroscopy, 1781

Diehl, C. F. See McKay, K. W., 947

Dintzis, F. R.
—; Bagley, E. B.: Shear-Thickening and Transient Flow Effects in Starch Solutions (Note), 637

Doneux, C. See Fally, F., 597

Dubini-Paglia, E.
—; Castelli, A.; Beltrame, P. L.; Seves, A.; Marcandalli, B.: Thermal *cis–trans* Isomerization of 4-Diethylamino-4′-methoxyazobenzene in Poly(D(—)3-hydroxybutyrate) and Its Hydroxyvalerate Copolymer as a Probe for Characterizing Their Aging, 1007

Dubois, P. See Hindryckx, F., 1093

Dugan, J. R. See Zeik, D. B., 1039

Duncan, E. J. S.
Characterization of a Glycidyl Azide Polymer Composite Propellant: Strain Rate Effects and Relaxation Response, 365

Eguiazábal, J. I. See Bastida, S., 1487

El-Hosiny, F. I.
—; Gad, E. A. M.: Effect of Some Superplasticizers on the Mechanical and Physicochemical Properties of Blended Cement Pastes, 153

El-Sharkawy, F. M. See Hamza, A. A., 1355

El-Tonsy, M. M. See Hamza, A. A., 1355

Elvy, S. B.
—; Dennis, G. R.; Ng, L.-T.: Catalyst–Accelerator Method for the Preparation of Wood–Polymer Composites at Ambient Temperature, 591

Enyiegbulam, M. E. See Nwanorh, K. O., 91

Fally, F.
—; Doneux, C.; Riga, J.; Verbist, J. J.: Quantification of the Functional Groups Present at the Surface of Plasma Polymers Deposited from

Propylamine, Allylamine, and Propargylamine, 597
Fambri, L. See Minto, F., 747
Fang, B.-R. See Huang, M.-R., 1323
Feng, M.
—; Van Der Does, L.; Bantjes, A.: Iron(III) Chelating Resins. VI. Stability Constants of Iron(III)–Ligand Complexes on Insoluble Polymeric Matrices, 1231
Feng, Z. See Han, Y., 979, 1059, 1349
Firat, T. See Ünaleroğlu, C., 1239
Fitch, J. See Bruma, M., 527
Flaqué, C. See Montserrat, S., 1413
Fone, M. M. See Mercer, F. W., 1397
Forster, D. See McGrath, M. P., 533
Fouda, I. M. See Hamza, A. A., 1355
Freddi, G.
—; Romanò, M.; Massafra, R.; Tsukada, M.: Silk Fibroin/Cellulose Blend Films. Preparation, Structure and Physical Properties, 1537
Frisch, K. C. See McGrath, M. P., 533
Fuad, M. Y. A.
—; Yaakob, I.; Rusli, O.; Ishak, Z. A. M.; Omar, A. K. M.: Determination of Filler Content in Thermoplastic Composites by FTIR Analysis, 1557
Fucugauchi, L. A. See Sánchez, V., 779
Fukuda, M. See Yamaura, K., 653

Gad, E. A. M. See El-Hosiny, F. I., 153
Galià, M.
—; Serra, A.; Mantecón, A.; Cádiz, V.: Synthesis of Diglicydilesters with Alicyclic Imide Structure and Their Thermal and Tertiary Amine Catalyzed Curing, 193
Galvankar, P. S. See Bhabhe, M. D., 485
Gandini, A. See Louis Joseph Dogué, I., 33
Ganesan, L.
—; Bhattacharyya, P.; Bhowmick, A. K.: Quantitative Measurement of Dispersion of Carbon Black in Rubber by an Image Processing Technique, 1739
García-Garduño, M. See Blanco, R., 57
Gatenholm, P. See Hedenberg, P., 641
Ge, Z.
—; Brown, C. W.; Brown, M.: Monitoring of Lamination Processes in an Autoclave With Fiber-Optic Infrared Spectroscopy, 667
Gillham, J. K. See Venditti, R. A., 1207, 1687
Gleria, M. See Minto, F., 747
Goh, S. H. See Chen, J., 761
Gohil, R. M. See Gopalakrishnan, R., 1749
Gonsalves, K. E. See Zhang, S., 687
Gonzalez-Romero, V. M. See Canche-Escamilla, G., 793
Gopalakrishnan, R.
—; Schultz, J. M.; Gohil, R. M.: Effect of Blend Rheology on the Transport Property of Oriented Poly(ethylene terephthalate) Blends, 1749
Gopalan, A.
—; Vasudevan, T.; Manisankar, P.; Paruthimalkalaignan, C.; Ramasubramanian, A.; Hariharan, S. S.: Graft Copolymerization of Polyacrylonitrile (PAN) onto Polyester (PET) and Simultaneous Homopolymerization: A Kinetic Study. I, 1299
—; Vasudevan, T.; Manisankar, P.; Paruthimalkalaignan, G.; Ramasubramanian, A.; Hariharan, S. S.: Graft Copolymerization of Polyacrylonitrile (PAN) onto Nylon 6/Nylon 66 and Simultaneous Homopolymerization: A Comparative Study. II, 1715
Goraczko, W. See Jurkowski, B., 1367
Gorelik, V. See Chen, R., 615
Gradwell, M. H. S.
—; Morgan, B.; McGill, W. J.: Rate of Formation of Polysulfides of 2-Bisbenzothiazole-2-2′-Disulfide in the Presence of Sulfur and 2-Mercaptobenzothiazole, 1581
Gros, W. A. See McKay, K. W., 947
Guerra, G. See De Rosa, C., 271
Guerrero, P. See De Nograro, F. F., 177
Güner, A.
Effects of Denaturing Agents on the Molecular Association of Dextran: I. Aqueous Solutions, 1561
Guo, C. J.
—; De Kee, D.; Harrison, B.: Diffusion of Aromatics in Rubber Membranes Measured Via a New Permeation Cell, 823
—; De Kee, D.; Harrison, B.: Free Volume Model and Diffusion of Organic Solvents in Natural Rubber, 817

Hachisuka, H.
—; Ohara, T.; Ikeda, K.-I.; Matsumoto, K.: Gas Permeation Property of Polyaniline Films, 1479
Hamid, S. H. See Amin, M. B., 279
Hamza, A. A.
—; Fouda, I. M.; El-Tonsy, M. M.; El-Sharkawy, F. M.: Optothermal Properties of Fibers. I. Relations Between Optical Properties and

Change of the Density and Mechanical Loss Factor for Annealed Polyester Fibers, 1355

Han, Y.
—; Yang, Y.; Li, B.; Feng, Z.: Mechanical Properties of Phenolphthalein Polyether Ketone: Yield Stress, Young's Modulus, and Fracture Toughness, 979
—; Yang, Y.; Li, B.; Feng, Z.: Viscoelastic Properties of Phenolphthalein Poly(ether Ketone), 1349
—; Yang, Y.; Li, B.; Wang, X.; Feng, Z.: The Charpy Impact Fracture Behavior of Phenolphthalein Polyether Ketone, 1059

Hariharan, S. S. See Gopalan, A., 1299, 1715

Harris, F. W. See Wang, Y. D., 837

Harrison, B. See Guo, C. J., 817, 823

Harrison, C. A.
—; Mourey, T. H.: Number-Average Molecular Weight and Functionality of Poly(tetramethylene glycol) by Multidetector SEC, 211

Hartshorne, M. See Bielinski, D. M., 853

Hayakawa, I.
—; Sasaki, N.; Hikichi, K.: Elongational Flow Field as a Tool for Investigating Helix–Coil Transition: Observation of Helix–Coil Transition in Poly(L-glutamic Acid) Induced by pH Change, 661

Hedenberg, P.
—; Gatenholm, P.: Conversion of Plastic/Cellulose Waste into Composites I. Model of the Interphase, 641

Hernandez-Patiño, M. J. See Canche-Escamilla, G., 793

Hidai, T. See Xue, S., 127

Hikichi, K. See Hayakawa, I., 661

Hindryckx, F.
—; Dubois, P.; Patin, M.; Jérôme, R.; Teyssié, P.; Marti, M. G.: Interfacial Adhesion in Polyethylene–Kaolin Composites: Improvement by Maleic Anhydride-Grafted Polyethylene, 1093

Hirota, Y. See Tamai, H., 441

Ho, B. C. See Yang, S. Y., 1179

Hoei, Y. See Yamaura, K., 653

Hosseini, S. M.
—; Stolarski, T. A.: Phenomenology of Surface Failure of Poly(methylmethacrylate) Resulting from Rolling Contact Fatigue, 311

Hou, C.
—; Zhao, B.; Yang, J.; Yu, Z.; Wu, Q.: A Study on Rheologic Behavior of Polyphenylene Sulfide, 581

Hou, J. See Yang, J., 831

Hou, W. See Jin, M. R., 285

Hseih, D. T.
—; Peiffer, D. G.: Chemical Transformation of Nitrile to Reactive Oxazoline Functionality on a Preformed Polymer, 1667
—; Schulz, D. N.; Peiffer, D. G.: Synthesis of Reactive Oxazolyl Styrene–Acrylonitrile Copolymers, 1673

Hsiue, L.-T.
—; Ma, C.-C. M.; Tsai, H.-B.: Preparation and Characterizations of Thermotropic Copolyesters of *p*-Hydroxybenzoic Acid, Sebacic Acid, and Hydroquinone, 471

Hu, H. See Chen, X., 247

Hu, Y. See Huang, J., 1253

Huang, J.
—; Hu, Y.; Ruyter, I. E.: Cyclopolymerization of Dodecanidiol Dimethacrylate and Identification of Polymer Structure, 1253

Huang, J.-Y. See Chang, C.-J., 1625

Huang, M.-R.
—; Li, X.-G.; Fang, B.-R.: β-Nucleators and β-Crystalline Form of Isotactic Polypropylene, 1323

Huang, Y.
—; Yu, Y.; Bell, J. P.: Studies on a Novel Polymeric Coupling Agent: 3-Glycidoxypropyltrimethoxysilane-Modified Polycarbonate, 1
—; Zeng, F.; Ye, H.; Liu, C.; Wu, Z.; Li, W.; Yu, S.: Synthesis and Properties of High-Sulfonated Melamine–Formaldehyde Resin, 1523

Huang, Y. J. See Zhu, Y. Q., 1371

Huang, Z. See Luo, Y., 1221

Huglin, M. B. See Ahmad, M. B., 397

Hunt, S. M.
—; Binns, M. R.; Sheil, M. M.: Structural Characterization of Polyester Resins by Electrospray Mass Spectrometry, 1589

Hwang, K.-S. See Min, R.-R., 625

Ikeda, K.-I. See Hachisuka, H., 1479

Im, S. S. See Byun, S. W., 425

Imai, Y. See Xue, S., 127

Inagaki, N.
—; Tasaka, S.; Kawai, H.: Surface Modification of Aromatic Polyamide Film by Aminoethanethiol Solution for Silicon Rubber Composites, 677
—; Tasaka, S.; Masumoto, M.: Plasma Graft Polymerization of Vinylimidazole onto Kapton Film Surface for Improvement of Adhesion Between Kapton Film and Copper, 135

Inoue, T.
—; Suzuki, T.: Selective

Crosslinking Reaction in Polymer Blends. III. The Effects of the Crosslinking of Dispersed EPDM Particles on the Impact Behavior of PP/EPDM Blends, 1113
Inoue, Y. See Yoshie, N., 17
Ishak, Z. A. M. See Fuad, M. Y. A., 1557
Ito, Y. See Sánchez, V., 779
Iwakura, K. See Takahashi, T., 411
Iyer, K. See McGrath, M. P., 533

Jang, J.
—; Kim, H.: Copolymerization of the Silane-Modified Polyvinylimidazole(1) as a Metal Corrosion Inhibitor, 1495
Jang, J.
—; Lee, J.; Jeong, J.: Performance Improvement of Glass Fiber-Reinforced Polystyrene Composite Using a Surface Modifier. I. Synthesis and Characterization of Poly(γ-MPS-*co*-styrene), 1651
Jayakrishnan, A.
—; Sunny, M. C.; Rajan, M. N.: Photocrosslinking of Azidated Poly(vinyl chloride) Coated onto Plasticized PVC Surface: Route to Containing Plasticizer Migration, 1187
Jean, Y. C. See Venditti, R. A., 1207
Jeong, J. See Jang, J., 1651
Jérôme, R. See Hindryckx, F., 1093
Jha, N. K. See Bajaj, P., 1339
Jiang, J. See McGrath, M. P., 533
Jin, M. R.
—; Wu, C. F.; Lin, P. Y.; Hou, W.: Swelling of and Solute Exclusion by Poly(*N*-Alkylacrylamide) Gels, 285
Jingwu, S. See Jitao, H., 1805
Jitao, H.
—; Jingwu, S.; Zhenghua, L.: An Efficient Synthesis of 4-(*N,N*-Diallylamino)-pyridines, 1805
Jo, W. H. See Yu, Y. C., 895
Jonquières, A.
—; Roizard, D.; Cuny, J.; Vicherat, A.; Lochon, P.: Polarity Measurements in Block Copolymers (Polyurethaneimides) and Correlation with their Pervaporation Features, 1567
Jung, A. See Li, C.-H., 1661
Jurkowski, B.
—; Koczorowska, E.; Goraczko, W.; Manuszak, J.: Determination of ZnO Dispersion in Rubber Compounds, 1367

Kamble, K. J.
—; Patkar, D. N.: Synthesis and Characterization of Oxime Resin of Poly(4-vinyl, 2′-carboxybenzophenone) and Its Metal Polychelates, 1519
Kang, E. T. See Loh, F. C., 1707; Pun, M. Y., 355
Kannan, P.
—; Umamaheshwari, N.; Kishore, K.: Synthesis and Characterization of New Flame-Retardant Polyaryl Phosphoramide Esters Containing Furan and Thiophene Units, 113
Karayannidis, G. P.
—; Kokkalas, D. E.; Bikiaris, D. N.: Solid-State Polycondensation of Poly(ethylene terephthalate) Recycled from Postconsumer Soft-Drink Bottles. II, 405
Kardos, J. L. See Cho, B.-R., 1435
Kaur, I.
—; Barsola, R.; Misra, B. N.: Graft Copolymerization of Acrylonitrile and Its Binary Mixture with 4-Vinyl Pyridine onto Isotactic Polypropylene Powder by Preirradiation Method, 1197
Kaur, I. See Misra, B. N., 1133
Kawabata, N.
—; Kurooka, T.: Biodegradability of Poly(vinyl acetate) Containing a Pyridinium Group, 509
Kawai, H. See Inagaki, N., 677
Kawasaki, H. See Nagata, K., 1313
Kelchtermans, M. See Di Martino, S., 1781
Kenny, J. M. See Torre, L., 985
Kim, B. K. See Yoon, L. K., 239
Kim, H. See Jang, J., 1495
Kim, H.-J.
—; Mizumachi, H.: Miscibility and Peel Strength of Acrylic Pressure-Sensitive Adhesives: Acrylic Copolymer–Tackifier Resin Systems, 201
Kim, S.
—; Mainwaring, D. E.: Rheological Characteristics of Proanthocyanidin Polymers from *Pinus radiata*. I. Rheological Behavior of Water-Soluble Extract Fractions and Phlobaphenes, 905
—; Mainwaring, D. E.: Rheological Characteristics of Proanthocyanidin Polymers from *Pinus radiata*. II. Viscoelastic Properties of Sequential Alkaline Extracts Based on Phenolic Acid Fraction, 915
Kinomura, K. See Miyata, T., 1615
Kishore, K. See Kannan, P., 113
Klein, M. T. See Broadbelt, L. J., 803
Klempner, D. See McGrath, M. P., 533
Kobayashi, T. See Otake, Y., 1789

Koczorowska, E. See Jurkowski, B., 1367
Kodama, S. See Nagata, K., 1313
Koike, T.
Melt Viscosity at Glass Transition Temperature for Some Epoxide Oligomers (Note), 1183
Kokkalas, D. E. See Karayannidis, G. P., 405
Kolarz, B. N. See Wojaczyńska, M., 433
Kono, K.
—; Nishihara, Y.; Takagishi, T.: Photoresponsive Permeability of Polyelectrolyte Complex Capsule Membrane Containing Triphenylmethane Leucohydroxide Residues, 707
Koyama, K. See Takahashi, T., 411
Krongauz, V. V.
—; Mooney, W. F., III; Palmer, J. W.; Patricia, J. J.: Real-Time Monitoring of Diffusion in Polymer Films Using Fluorescent Tracer, 1077
Kubota, H.
—; Shigehisa, Y.: Introduction of Amidoxime Groups into Cellulose and Its Ability to Adsorb Metal Ions, 147
—; Ujita, S.: Reactivity of Glycidyl-Methacrylate-Grafted Cellulose Prepared by Means of Photografting, 25
Kumar, A. See Bajaj, P., 1339
Kumar, D. See Misra, B. N., 1133
Kumar, S. See Sahafeyan, M., 517
Kurooka, T. See Kawabata, N., 509

Lai, J. Y.
—; Yin, Y.-L.; Lee, K.-R.: Pervaporation Separation of Alcohol–Water Mixture Through 4-Vinylpyridine Chemical Modified Poly(4-methyl-1-pentene) Membrane, 739
Lai, Y.-C.
Novel Polyurethane–Silicone Hydrogels, 301
—; Role of Bulky Polysiloxanylalkyl Methacrylates in Oxygen-Permeable Hydrogel Materials, 317
Lambri, O. A. See Povolo, F., 161
Lau, C. B. See Loh, F. C., 1707
Lavrenko, P. N.
—; Okatova, O. V.: Hydrolytic Thermal Degradation of Poly(Naphthoyleneimide Benzimidazole) in Concentrated Sulfuric Acid, 97
Lee, C.-F.
—; Chiu, W.-Y.: Kinetic Study on the Poly(methyl methacrylate) Seeded Soapless Emulsion Polymerization of Styrene. I. Experimental Investigation, 1263
Lee, J. See Jang, J., 1651
Lee, K.-R. See Lai, J. Y., 739
Lee, S. Y. See Chen, J., 761
Lenka, S. See Parida, D., 1731
Li, B. See Han, Y., 979, 1059, 1349
Li, C. See Qiu, W., 1295
Li, C.-H.
—; Jung, A.; Liang, A.-L.; Chang, T.-C.: Studies on the Synthesis and Properties of Thermotropic Liquid Crystalline Copoly(amide–ester–imide) Derived from *N*-(Hydroxyphenyl)phthalimide-4-carboxylic Acid with Amino Acid, 1661
Li, J. See Xu, Z., 575
Li, J. X.
—; Cheung, W. L.: Creep Behavior of Biaxial Cold-Rolled Polypropylene, 881
Li, P.
—; Shan, H.: Study on Polymerization of Acrylonitrile with Methylacrylate and Itaconic Acid in Mixed Solvent (Note), 877
Li, R. Y. See Wang, P. H., 289
Li, W. See Huang, Y., 1523
Li, X.-G. See Huang, M.-R., 1323
Liang, A.-L. See Li, C.-H., 1661
Liao, C.-L. See Chang, C.-J., 1625
Lin, C.-C. See Ou, C.-F., 1107
Lin, K. P. See Chudnovsky, A., 1465
Lin, P. Y. See Jin, M. R., 285
Liu, C. See Huang, Y., 1523
Liu, F.-H. See Yao, K.-J., 9
Liu, J. See Qiu, W., 1295; Wang, P. H., 289
Liu, J.-M. See Chang, C.-J., 1625
Liu, L. R. See Ma, J. T., 73
Liu, T. M.
—; Bui, V. T.: Instrumented Impact Testing of Castor-Oil-Based Polyurethanes, 345
Liu, W.-B.
—; Chang, F.-C.: Coexistence of Ductile, Semiductile, and Brittle Fractures of Elastomer-Modified Polycarbonates, 545
Lochon, P. See Jonquières, A., 1567
Loh, F. C.
—; Lau, C. B.; Tan, K. L.; Kang, E. T.: Surface Modification of Polyimide Films by Graft Copolymerization, 1707
Loh, F. C. See Pun, M. Y., 355
López, A. J. See Barral, L., 1029
López, J. See Barral, L., 1029
López, R. See Sánchez, V., 779
Lou, Y. See Venditti, R. A., 1207
Loucheux, C. See Maschke, U., 1547
Louis Joseph Dogué, I.
—; Mermilliod, N.; Gandini, A.: Modification of Industrial

Polypropylene Film by Grafting of Poly(acrylic acid), 33
Low, I. M. See Mohazzab-h, G., 1679
Lu, C.-L. See Whang, W.-T., 1635
Lu, F.-M. See Misra, S., 1761
Lu, G. See Xu, Z., 575
Lu, L. See Qiu, W., 1295
Lu, M.-L.
—; Chang, F.-C.: Fracture Toughness of PC/PBT Blend Based on *J*-Integral Methods, 1065
Luo, Y.
Hydrogenation of 1,3-Butadiene and Isoprene Prepolymers Having Carboxyl End Groups, 721
—; Pan, Z.; Weng, Z.; Huang, Z.: A Molecular Weight Model in Vinyl Chloride–Divinyl Monomer Suspension Copolymerization before the Gel Point, 1221
Lyons, J. S.
—; Tinio, E. G.; Berry, S. F.: Creep, Stress Rupture, and Isothermal Aging of Reinforced Polyphthalamide, 1169

Ma, C.-C. M. See Hsiue, L.-T., 471
Ma, J. T.
—; Liu, L. R.; Yang, X. J.; Yao, K. D.: Bending Behavior of Gelatin/Poly(hydroxyethyl methacrylate) IPN Hydrogel under Electric Stimulus, 73
Maffezzoli, A. See Torre, L., 985
Mainwaring, D. E. See Kim, S., 905, 915
Málek, J. See Montserrat, S., 1413
Manisankar, P. See Gopalan, A., 1299, 1715
Mantecón, A. See Galià, M., 193
Manuszak, J. See Jurkowski, B., 1367
Marcandalli, B. See Dubini-Paglia, E., 1007
Marom, G. See Teishev, A., 959
Marti, M. G. See Hindryckx, F., 1093
Maschke, U.
—; Coqueret, X.; Loucheux, C.: Polymer-Dispersed Liquid Crystal Materials Prepared by Electron Beam-Initiated Polymerization, 1547
Massafra, R. See Freddi, G., 1537
Masumoto, M. See Inagaki, N., 135
Matsumoto, K. See Hachisuka, H., 1479
Mayer, M. J. J.
—; Meuldijk, J.; Thoenes, D.: Influence of Disproportionated Rosin Acid Soap on the Emulsion Polymerization Kinetics of Styrene, 119
McAdams, E. T. See Woolfson, A. D., 1151
McCafferty, D. F. See Woolfson, A. D., 1151
McCallion, C. R. See Woolfson, A. D., 1151
McGill, W. J. See Gradwell, M. H. S., 1581
McGrath, M. P.
—; Sall, E. D.; Forster, D.; Tremont, S. J.; Sendijarevic, A.; Sendijarevic, V.; Primer, D.; Jiang, J.; Iyer, K.; Klempner, D.; Frisch, K. C.: Novel Polymeric Alcohols by Controlled Catalytic Polymer Functionalization, 533
McKay, K. W.
—; Gros, W. A.; Diehl, C. F.: The Influence of Styrene–Butadiene Diblock Copolymer on Styrene–Butadiene–Styrene Triblock Copolymer Viscoelastic Properties and Product Performance, 947
McKenzie, M. T. See Mercer, F. W., 1397
Mehta, S.
—; Deopura, B. L.: Morphological and Mechanical Properties of PET–LCP Blend Fibers, 169
Mendizabal, E. See Canche-Escamilla, G., 793
Mercer, F. See Bruma, M., 527
Mercer, F. W.
—; McKenzie, M. T.; Merlino, G.; Fone, M. M.: Synthesis and Characterization of New Aromatic Poly(Ether Ketone)s, 1397
Merlino, G. See Mercer, F. W., 1397
Mermilliod, N. See Louis Joseph Dogué, I., 33
Meuldijk, J. See Mayer, M. J. J., 119
Min, R.-R.
—; Hwang, K.-S.: Effect of MAA/MAM Pregrafting on DMEU Finishing of Cotton Fabrics, 625
Minagawa, K. See Takahashi, T., 411
Minto, F.
—; Gleria, M.; Bortolus, P.; Fambri, L.; Pegoretti, A.: Grafting Reactions onto Poly(organophosphazenes). IV. Light-Induced Graft Copolymerization of Organic Polymers Containing Free Acid or Basic Functionalities onto Poly[bis(4-benzylphenoxy)-phosphazene], 747
Misra, B. N.
—; Kumar, D.; Kaur, I.: Preparation and Characterization of Teflon–FEP Films Grafted with Acrylic Acid by Radiochemical Method, 1133
—; See Kaur, I., 1197
Misra, S.
—; Lu, F.-M.; Spruiell, J. E.; Richeson, G. C.: Influence

of Molecular Weight Distribution on the Structure and Properties of Melt-Spun Polypropylene Filaments, 1761
Mitsuishi, M. See Yamaura, K., 653
Mityukhin, O. See Zamotaev, P., 935
Miyashita, Y. See Asai, S., 769
Miyata, T.
—; Morizane, M.; Nakamae, K.; Okumura, M.; Kinomura, K.: Properties of Biomedical Pressure-Sensitive Adhesive Copolymer Films with Pendant Monosaccharides, 1615
Mizuhata, M. See Nagata, K., 1313
Mizumachi, H. See Kim, H.-J., 201
Mizutani, Y. See Nagō, S., 253
Mohanty, S. See Parida, D., 1731
Mohazzab-h, G.
—; Low, I. M.: Properties of Epoxy-Modified YBCO Superconductors, 1679
Mondragon, I. See De Nograro, F. F., 177
Montserrat, S.
—; Flaqué, C.; Pagès, P.; Málek, J.: Effect of the Crosslinking Degree on Curing Kinetics of an Epoxy–Anhydride System, 1413
Mooney, W. F., III See Krongauz, V. V., 1077
Morgan, B. See Gradwell, M. H. S., 1581
Morizane, M. See Miyata, T., 1615
Mostafa, Kh. M.
Graft Polymerization of Acrylic Acid onto Starch Using Potassium Permanganate Acid (Redox System), 263
Mourey, T. H.
—; Coll, H.: Size-Exclusion Chromatography with Two-Angle Laser Light-Scattering (SEC-TALLS) of High Molecular Weight and Branched Polymers, 65
Mourey, T. H. See Harrison, C. A., 211
Mukherjee, A. See Biswas, M., 501
Mülhaupt, R. See Rösch, J., 1599, 1607
Murakami, N. See Otake, Y., 1789
Murata, Y. See Ochi, M., 1161

Nagata, K.
—; Kodama, S.; Kawasaki, H.; Deki, S.; Mizuhata, M.: Influence of Polarity of Polymer on Inorganic Particle Dispersion in Dielectric Particle/Polymer Composite Systems, 1313
Naghash, H. J.
—; Okay, O.; Yildirim, H.: Gel Formation in Free-Radical Crosslinking Copolymerization, 477
Nagō, S.
—; Mizutani, Y.: Microporous Polypropylene Hollow Fibers with Double Layers, 253
Nagy, T. See Samay, G., 1423
Nakamae, K. See Miyata, T., 1615
Nakanishi, Y. See Ochi, M., 1161
Nay, J. C.
—; Pitt, W. G.; Armstrong-Carroll, E.: Improving Adhesion in Interleaf Composites Using Plasma Processing, 461
Nayak, P. L. See Parida, D., 1731
Nazábal, J. See Bastida, S., 1487
Neoh, K. G. See Pun, M. Y., 355
Nesbit, S. M. See Banko, A. S., 757
Ng, L.-T. See Elvy, S. B., 591
Ninan, K. N. See Panicker, S. S., 1797
Nishihara, Y. See Kono, K., 707
Nishiyama, F. See Tamai, H., 441
Niu, B.-J.
—; Urban, M. W.: Surface and Interfacial FTIR Spectroscopic Studies of Latexes. IX. The Effect of Homopolymer and Copolymer Structures on Surfactant Mobility in Sty/BA Latices, 377
Nogueira, P. See Barral, L., 1029
Nwanorh, K. O.
—; Enyiegbulam, M. E.: Stress–Strain Effects of Mechanically Degraded Natural Rubber Latex, 91

Ochi, M.
—; Tsuyuno, N.; Sakaga, K.; Nakanishi, Y.; Murata, Y.: Effect of Network Structure on Thermal and Mechanical Properties of Biphenol-Type Epoxy Resins Cured with Phenols, 1161
Ohara, T. See Hachisuka, H., 1479
Okatova, O. V. See Lavrenko, P. N., 97
Okay, O. See Naghash, H. J., 477
Okumura, M. See Miyata, T., 1615
O'Mahony, J. P. See Ahmad, M. B., 397
Omar, A. K. M. See Fuad, M. Y. A., 1557
Omoto, M. See Xue, S., 127
Ono, K. See Otake, Y., 1789
Otake, Y.
—; Kobayashi, T.; Asabe, H.; Murakami, N.; Ono, K.: Biodegradation of Low-Density Polyethylene, Polystyrene, Polyvinyl Chloride, and Urea Formaldehyde Resin Buried under Soil for Over 32 Years, 1789

Otsuki, S.
—; Adachi, K.: Characterization of Nafion Solutions and Films and Observation of the Casting Process Using Basic Dyes as Optical Probes, 697
Ou, C.-F.
—; Lin, C.-C.: Blends of Poly(ethylene terephthalate) with Co[poly(ethylene terephthalate-*p*-oxybenzoate)]. II. Composition Effect on the Rate of Crystallization, 1107
Özcan, Ş. See Ünaleroğlu, C., 1239

Pagès, P. See Montserrat, S., 1413
Palmer, J. W. See Krongauz, V. V., 1077
Pan, J.
—; Shaw, W. J. D.: Effects of Processing Parameters on Material Properties of Mechanically Processed Polyamide, 557
Pan, Z. See Luo, Y., 1221
Pande, C. S.
—; Bhardwaj, A.: Solid-Phase Peptide Synthesis on a Novel Hydrogenolysable Linker–Resin Combination, 1127
Panicker, S. S.
—; Ninan, K. N.: Studies on Functionality Distribution of Extractable Sol from HTPB–Isocyanate Gumstock, 1797
Parida, D.
—; Lenka, S.; Nayak, P. L.; Mohanty, S.; Rao, K. K.: Polymers from Renewable Resources. VIII. Thermal Properties of the Interpenetrating Polymer Networks Derived from Castor Oil–Isophorone Diisocyanate–Polyacrylamides, 1731
Paruthimalkalaignan, C. See Gopalan, A., 1299
Paruthimalkalaignan, G. See Gopalan, A., 1715
Patin, M. See Hindryckx, F., 1093
Patkar, D. N. See Kamble, K. J., 1519
Patricia, J. J. See Krongauz, V. V., 1077
Paulaitis, M. E. See Tuminello, W. H., 495
Pegoretti, A. See Minto, F., 747
Peiffer, D. G. See Hseih, D. T., 1667, 1673
Peirotti, M. B. See Deiber, J. A., 967
Pekcan, Ö.
Volume Changes and Relaxations Within the Interphase Domain of Blend-Like Polymer Particles, 1527
Peng, G. See Zhang, G., 1683
Peppas, N. A. See Berkowicz, B. D., 715
Pethrick, R. A. See Bielinski, D. M., 853
Petraccone, V. See De Rosa, C., 271
Pitt, W. G. See Nay, J. C., 461
Pizzi, A.
—; Tekely, P.: ^{13}C-NMR of Zn^{2+} Acetate-Induced Autocondensation of Polyflavonoid Tannins for Phenolic Polycondensates (Note), 633
—; Tekely, P.: Mechanism of Polyphenolic Tannin Resin Hardening by Hexamethylenetetramine: CP–MAS ^{13}C-NMR, 1645
Polimeni, G. See Serio, M. D., 1141
Povolo, F.
—; Lambri, O. A.: Nonlinear Mechanical Spectrometry of Poly(methyl methacrylate), 161
Primer, D. See McGrath, M. P., 533
Psomiadou, E. See Arvanitoyannis, I., 1045
Pun, M. Y.
—; Neoh, K. G.; Kang, E. T.; Loh, F. C.; Tan, K. L.: Protonation of Polyaniline by Surface-Functionalized Polymer Substrates, 355

Qin, R.
—; Schreiber, H. P.; Rudin, A.: Assessment of Degree of Fusion of Rigid PVC from Inverse Gas Chromatographic Measurements, 51
Qiu, W.
—; Li, C.; Zeng, W.; Liu, J.; Lu, L.; Wang, X.: Preparation and Characterization of Soluble Polyimides, 1295

Rahman, F. See Amin, M. B., 279
Rajan, M. N. See Jayakrishnan, A., 1187
Ramasubramanian, A. See Gopalan, A., 1299, 1715
Ramírez, C. See Barral, L., 1029
Rao, K. K. See Parida, D., 1731
Rao, S. Ş. See Varkey, J. T., 451
Rebeiz, K. S. See Banko, A. S., 757
Ricciardone, A. G. See Ahmad, M. B., 397
Richeson, G. C. See Misra, S., 1761
Riga, J. See Fally, F., 597
Risch, B. G.
—; Wilkes, G. L.: Effects of Physical Aging and Carbon Dioxide Absorption in Bisphenol-A Polycarbonate, 1511
Robilă, G. See Cascaval, C. N., 889
Rodríguez, R. See Blanco, R., 57
Roizard, D. See Jonquières, A., 1567
Romanò, M. See Freddi, G., 1537

Rösch, J.
—; Mülhaupt, R.: Deformation Behavior of Polypropylene/Polyamide Blends, 1607
—; Mülhaupt, R.: Mechanical and Morphological Properties of Elastomer-Modified Polypropylene/Polyamide-6 Blends, 1599
Rudin, A. See Qin, R., 51
Rusli, O. See Fuad, M. Y. A., 1557
Ruyter, I. E. See Huang, J., 1253

Sahafeyan, M.
—; Kumar, S.: Tensile and Compressive Behavior of Poly(*p*-phenylene benzobisthiazole) Fibers, 517
Sakaga, K. See Ochi, M., 1161
Sakurai, H. See Tamai, H., 441
Sakurai, M. See Yoshie, N., 17
Sall, E. D. See McGrath, M. P., 533
Samay, G.
—; Nagy, T.; White, J. L.: Grafting Maleic Anhydride and Comonomers onto Polyethylene, 1423
Sánchez, V.
—; López, R.; Fucugauchi, L. A.; Ito, Y.: Positron Annihilation Lifetime Study of Vapor Sorption in Polypropylene and Polytetrafluoroethylene, 779
Santacesaria, E. See Serio, M. D., 1141
Santambrogio, A. See Serio, M. D., 1141
Saruta, U. See Asai, S., 769
Sarvaranta, L.
Shrinkage of Short PP and PAN Fibers Under Hot-Stage Microscope, 1085
Sasaki, N. See Hayakawa, I., 661
Saurin, M.
—; Armes, S. P.: Study of the Chemical Polymerization of Pyrrole onto Printed Circuit Boards for Electroplating Applications, 41
Schreiber, H. P. See Qin, R., 51
Schroeder, D. W. See Zeik, D. B., 1039
Schultz, J. M. See Gopalakrishnan, R., 1749
Schulz, D. N. See Hseih, D. T., 1673
Sendijarevic, A. See McGrath, M. P., 533
Sendijarevic, V. See McGrath, M. P., 533
Serio, M. D.
—; Santacesaria, E.; Santambrogio, A.; Polimeni, G.: The Radical Polymerization of C12–C18 Alkylmethacrylates in Semibatch Conditions, 1141
Serra, A. See Galià, M., 193
Seves, A. See Dubini-Paglia, E., 1007
Shan, H. See Li, P., 877
Shaw, W. J. D. See Pan, J., 557
Sheil, M. M. See Hunt, S. M., 1589
Shigehisa, Y. See Kubota, H., 147
Shulkin, Y. See Chudnovsky, A., 1465
Silverstein, M. S. See Chen, R., 615
Siow, K. S. See Chen, J., 761
Slusarski, L. See Bielinski, D. M., 853
Song, D. K.
—; Sung, Y. K.: Synthesis and Characterization of Biodegradable Poly(1,4-butanediol succinate), 1381
Spruiell, J. E. See Misra, S., 1761
St. Clair, A. K. See Caplan, M. L., 995
Stoakley, D. M. See Caplan, M. L., 995
Stolarski, T. A. See Hosseini, S. M., 311
Stoleriu, A. See Cascaval, C. N., 889
Su, K.-F.
—; Wei, K.-H.: A Study on Blends of Liquid Crystalline Copolyesters with Polycarbonate. I. Compatibility by Transesterification, 79
Sung, Y. K. See Song, D. K., 1381
Sunny, M. C. See Jayakrishnan, A., 1187
Suzuki, T. See Inoue, T., 1113

Takagishi, T. See Kono, K., 707
Takahashi, T.
—; Toda, H.; Minagawa, K.; Takimoto, J.-I.; Iwakura, K.; Koyama, K.: Nonlinear Stress Properties of Poly(styrene-*block*-butadiene-*block*-styrene) Melt Under Elongational and Shear Deformation, 411
Takano, M. See Asai, S., 769
Takimoto, J.-I. See Takahashi, T., 411
Tamai, H.
—; Sakurai, H.; Hirota, Y.; Nishiyama, F.; Yasuda, H.: Preparation and Characteristics of Ultrafine Metal Particles Immobilized on Fine Polymer Particles, 441
Tan, K. L. See Loh, F. C., 1707; Pun, M. Y., 355
Tanigami, T. See Yamaura, K., 653
Tasaka, S. See Inagaki, N., 135, 677
Tebelius, L. K.
—; Urban, M. W.: Surface and Interfacial FTIR Spectroscopic Studies of Latexes. X. The Effect of Coalescence on Surfactant Exudation in Polystyrene and Poly(*n*-butyl acrylate) Latex Films, 387
Teishev, A.
—; Marom, G.: The Effect of Transcrystallinity on the Transverse Mechanical

Properties of Single-Polymer Polyethylene Composites, 959
Tekely, P. See Pizzi, A., 633, 1645
Teyssié, P. See Hindryckx, F., 1093
Thoenes, D. See Mayer, M. J. J., 119
Thomas, S. See Varkey, J. T., 451
Tinio, E. G. See Lyons, J. S., 1169
Tobita, M. See Asai, S., 769
Toda, H. See Takahashi, T., 411
Torre, L.
—; Maffezzoli, A.; Kenny, J. M.: A Macrokinetic Approach to Crystallization Applied to a New Thermoplastic Polyimide (New TPI) as a Model Polymer, 985
Tremont, S. J. See McGrath, M. P., 533
Tsai, H.-B. See Hsiue, L.-T., 471
Tseng, T. W. See Yang, S. Y., 1179
Tsukada, M. See Freddi, G., 1537
Tsuyuno, N. See Ochi, M., 1161
Tuminello, W. H.
—; Brill, D. J.; Walsh, D. J.; Paulaitis, M. E.: Dissolving Poly(tetrafluoroethylene) in Low Boiling Halocarbons, 495

Ujita, S. See Kubota, H., 25
Ulbricht, M.
—; Belfort, G.: Surface Modification of Ultrafiltration Membranes by Low Temperature Plasma. I. Treatment of Polyacrylonitrile, 325
Umamaheshwari, N. See Kannan, P., 113
Ünaleroğlu, C.
—; Zümreoğlu-Karan, B.; Özcan, Ş.; Firat, T.: Characterization and Magnetic Behavior of Cobalt(II) and Gadolinium(III) Polyacrylates, 1239
Urban, M. W. See Niu, B.-J., 377; Tebelius, L. K., 387

Van Der Does, L. See Feng, M., 1231
Varkey, J. T.
—; Thomas, S.; Rao, S. S.: Rheological Behavior of Blends of Natural Rubber and Styrene–Butadiene Rubber Latices, 451
Vasudevan, T. See Gopalan, A., 1299, 1715
Venditti, R. A.
—; Gillham, J. K.: Anomalous Behavior of Thermosetting Systems After Cure vs. Chemical Conversion: A Normalized Conversion–Temperature–Property Diagram, 1687
—; Gillham, J. K.; Jean, Y. C.; Lou, Y.: Free Volume After Cure vs. Fractional Conversion for a High-T_g Epoxy/Amine Thermosetting System, 1207
Verbist, J. J. See Fally, F., 597
Vicherat, A. See Jonquières, A., 1567

Walsh, D. J. See Tuminello, W. H., 495
Wan, M. See Yang, J., 831
Wang, P. H.
—; Yue, Z. R.; Li, R. Y.; Liu, J.: Aspects on Interaction Between Multistage Stabilization of Polyacrylonitrile Precursor and Mechanical Properties of Carbon Fibers, 289
Wang, X. See Han, Y., 1059; Qiu, W., 1295
Wang, Y. D.
—; Cakmak, M.; Harris, F. W.: Processing Characteristics and Structure Development in Solid-State Extrusion of a New Semicrystalline Polyimide (BTDA–DMDA), 837
Wei, K.-H. See Su, K.-F., 79
Weil, E. D. See Zhu, W., 925
Weng, Z. See Luo, Y., 1221
Whang, W.-T.
—; Lu, C.-L.: Effects of Polymer Matrix and Salt Concentration on the Ionic Conductivity of Plasticized Polymer Electrolytes, 1635
—; See Chang, C.-J., 1625
White, J. L. See Samay, G., 1423
Wilkes, G. L. See Risch, B. G., 1511
Wojaczyńska, M.
—; Kolarz, B. N.: Structure of Some Styrene–Divinylbenzene Copolymers, 433
Woolfson, A. D.
—; McCafferty, D. F.; McCallion, C. R.; McAdams, E. T.; Anderson, J. M.: Moisture-Activated, Electrically Conducting Bioadhesive Hydrogels as Interfaces for Bioelectrodes: Effect of Formulation Factors on Cutaneous Adherence in Wet Environments, 1151
Wu, C. F. See Jin, M. R., 285
Wu, G.
—; Cuculo, J. A.: Preparation of High Performance PET Fiber by Solution Spinning Technique, 869
Wu, Q. See Hou, C., 581
Wu, Z. See Huang, Y., 1523

Xiong, C. See Zhang, L., 103
Xu, M. See Yang, J., 831
Xu, Z.
—; Lu, G.; Cheng, S.; Li, J.: Study on Copolymer Emulsion Containing an Epoxy Group, 575
Xue, S.
—; Omoto, M.; Hidai, T.; Imai, Y.: Preparation of Epoxy Hardeners from Waste Rigid Polyurethane Foam and Their Application, 127

Yaakob, I. See Fuad, M. Y. A., 1557
Yamamoto, N. See Arvanitoyannis, I., 1045
Yamaura, K.
—; Mitsuishi, M.; Fukuda, M.; Tanigami, T.; Hoei, Y.: Effect of Addition of Saccharose on Gelation of Aqueous Poly(vinyl alcohol) Solutions, 653
Yang, J.
—; Zhao, C.; Cui, D.; Hou, J.; Wan, M.; Xu, M.: Polyaniline/Polypropylene Film Composites with High Electric Conductivity and Good Mechanical Properties, 831
—; See Hou, C., 581
Yang, S. Y.
—; Chang, Y. H.; Ho, B. C.; Chen, W. C.; Tseng, T. W.: Studies on the Preparation of Gradient-Index Polymeric Rods by Interfacial-Gel Copolymerization (Note), 1179
Yang, X. J. See Ma, J. T., 73
Yang, Y. See Han, Y., 979, 1059, 1349
Yao, K. D. See Ma, J. T., 73
Yao, K.-J.
—; Liu, F.-H.: Synthesis and Rheological Behavior in Aqueous Solutions of Poly(Acrylamide-co-Maleic Acid), 9
Yasuda, H. See Tamai, H., 441
Ye, H. See Huang, Y., 1523
Yildirim, H. See Naghash, H. J., 477
Yin, J. See Chen, X., 247
Yin, Y.-L. See Lai, J. Y., 739
Yoon, L. K.
—; Choi, C. H.; Kim, B. K.: Reactive Extrusion of PP/Natural Rubber Blends, 239
Yoshie, N.
—; Azuma, Y.; Sakurai, M.; Inoue, Y.: Crystallization and Compatibility of Poly(vinyl alcohol)/Poly(3-hydroxybutyrate) Blends: Influence of Blend Composition and Tacticity of Poly(vinyl alcohol), 17
Yu, S. See Huang, Y., 1523
Yu, Y. See Huang, Y., 1
Yu, Y. C.
—; Jo, W. H.: Segmented Block Copolyetheramides Based on Nylon 6 and Polyoxypropylene. II. Structure and Properties, 895
Yu, Z. See Hou, C., 581
Yue, Z. R. See Wang, P. H., 289

Zamotaev, P.
—; Chodak, I.; Mityukhin, O.; Chorvath, I.: Photoinduced Crosslinking of Polyolefine Blends. I. Crosslinking of LDPE, PP, and LDPE/PP Blends, 935
Zeik, D. B.
—; Dugan, J. R.; Schroeder, D. W.; Baur, J. W.; Clarson, S. J.; De Brabander, G. N.; Boyd, J. T.: Fabrication and Characterization of Planar and Channel Polymer Wave Guides: 1. Plasma-Polymerized HMDS Films, 1039
Zeng, F. See Huang, Y., 1523
Zeng, W. See Qiu, W., 1295
Zhang, G.
—; Bi, X.; Peng, G.: Preparation of Electrical Conductive Polytoluidine Free-Standing Film, 1683
Zhang, L.
—; Xiong, C.; Deng, X.: Biodegradable Polyester Blends for Biomedical Application, 103
—; See Chu, C. C., 1275
Zhang, S.
—; Gonsalves, K. E.: Synthesis of Calcium Carbonate–Chitosan Composites via Biomimetic Processing, 687
Zhao, B. See Hou, C., 581
Zhao, C. See Yang, J., 831
Zheng, C. See Chen, X., 247
Zhenghua, L. See Jitao, H., 1805
Zhu, W.
—; Weil, E. D.: A Paradoxical Flame-Retardant Effect of Nitrates in ATH-Filled Ethylene–Vinyl Acetate Copolymer, 925
Zhu, Y. Q.
—; Huang, Y. J.; Chi, Z. G.: The Compatibility of the Blends of PUs with PVC and the Adhesion Behavior of PU to PVC, 1371
Zümreoğlu-Karan, B. See Ünaleroğlu, C., 1239

Journal of Applied Polymer Science

Subject Index to Volume 56

A reactive *in situ* type compatibilizer, 1015
Acrylic pressure-sensitive adhesives (PSA), 201
Additives, 1323
Adhesion, 1, 135, 355, 461, 485, 641, 677
Adhesive applications, 485
Adhesive films, 769
Adhesives, 1371
AET treatment, 677
Aging, 1007
Aliphatic–Aromatic polyamides, 803
Alkaline digestion process, 1245
Alternating copolymers, 271
American Standards for Testing and Materials (ASTM) method, 1381
Amidoxime groups, 147
Anhydrides, 1423
Anisotropic conductive adhesive film (ACAF), 769
Annealing, 1355, 1527
Antioxidants, 33
Aqueous alcohol solution, 739
Aromatic polyimides, 527
Asphalt, 57
Atomic force microscopy (AFM), 33
Attenuated total reflectance Fourier transform infrared (ATR FTIR) spectroscopy, 377
Autocondensation of polyflavonoid tannins, 633
Axial fiber splitting, 517

Bending, 73
β-form crystallinity, 1323
Bioadhesion, 1151
Biodegradable polyesters, 1381
Biodegradable polymers, 103, 509
Biodegradation, 1789
Biomedical applications, 103
Biomedical devices, 301
Biomedical pressure-sensitive adhesive, 1615
Biomimetic processing, 687
Biopolymers, 661
Blend fibers, 169
Blend films, 1537
Blend rheology, 1749
Blend-Like Polymer Particles, 1527
Blended cement pastes, 153
Blends, 17, 79, 103, 169, 201, 239, 247, 451, 761, 935, 947, 1015, 1065, 1107, 1113, 1371, 1599, 1607, 1667, 1749
Block copolymers, 1567
Branched polyesters, 65
Brittle failure, 1465
Brookfield viscosity, 1151
Butadiene prepolymers, 721

C-mode scanning acoustic microscopy (C-SAM), 1435
Calculated Fourier transforms for isolated chain models, 271
Capsule membrane, 707
Carbon black, 1739
Carbon fibers, 289
Casting process, 697
Castor oil, 1731
Castor-oil-based polyurethanes, 345
Catalyst–accelerator method, 591
Cellulose, 1537
Cellulosic fibers, 1245
Cement pastes, 153
Ceramic–polymer composites, 687
Chain transfer, 119
Channel, 1039
Charge transfer interactions, 355
Charpy impact fracture behavior, 1059
Chemical conversion, 1687
Chemical derivatization, 597
Chemical modification, 853
Chemical modification of poly(vinyl chloride) (PVC), 889
Cis–trans isomerization, 1007
^{13}C-NMR spectroscopy, 17, 1781
Coalescence, 387
Cold rolling, 881
Commercial polypropylene films, 33
Comonomer alternation, 271
Comonomers, 1423
Compatibility, 17
Compatibilizers, 1667
Composite films, 425
Composite systems, 1313
Composites, 57, 591, 641, 677, 687, 757, 831, 959, 1045, 1093, 1339, 1557, 1679
Composition-dependent positive deviation, 451
Conductive surface structures, 355
Conductivity degradation, 425
Continuous loop reactor, 419
Continuous permeation/diffusion polymerization process, 831
Continuous stirred tank reactor (CSTR), 419
Controlled hydroformylation, 533
Conventional one-shot method, 567
Conversion–temperature–property diagram, 1687
Copolyimides, 567
Copolymer compositions, 377
Copolymer emulsion, 575
Copolymer particles–metal ion complexes, 441

Copolymer zone, 793
Copolymers, 485
Copper metal, 135
Cotton fabrics, 625
Coupling agent, 1
Coupling agents, 1339
Crack opening displacement, 979
Creep, 881, 1169
Crosslinking, 345, 837, 895, 1113, 1221, 1413
Crystallinity, 881
Crystallization, 17, 687, 985, 1107
Cure, 1687
Cure kinetics, 1029, 1413
Curing, 177, 193
Cyclopolymerization, 1253

Damping, 161
Decomposition, 127
Degradation, 91, 97, 509, 803, 1275, 1731, 1789
Degree of substitution (DS), 147
Denaturing agents, 1561
Derivative thermogravimetry (DTG), 889
Desorption of radicals, 231
Dextran solutions, 1561
Die entry pressures, 1455
Dielectric inorganic particles, 1313
Dielectric thermal analysis (DETA), 397
Differential scanning calorimetry (DSC), 79, 177, 193, 405, 425, 485, 761, 837, 881, 895, 1029, 1295, 1371, 1413, 1661
Differential thermal analysis (DTA), 1045
Diffuse reflectance spectroscopy, 1519
Diffusion, 1077
Diffusion coefficients, 817
Diffusion control, 1029
Diffusion-controlled reaction mechanisms, 221
Diglicydilesters, 193
Discrete stress-concentrating polyamide microparticles, 1607
Dispersion ratings, 1739
Disproportionated rosin acid soap (DRAS), 119
DMEU Finishing, 625
Ductile–brittle transition (DBT), 545
Ductile–brittle transition temperature (DBTT), 345
Ductility index (DI), 1059
Dye, 697
Dynamic mechanical analysis, (DMA), 895
Dynamic mechanical behavior, 161
Dynamic thermal analysis (DTA), 485
Dynamic thermomechanical analysis (DMA), 1371

E-glass fibers, 1045
Elastic parameters, 1455
Elastomer-modified polycarbonates, 545
Elastomers, 853
Electric conductivity, 831
Electrical conductivity, 1683
Electrical properties, 1339
Electromechanochemical (EMC) effect, 73
Electron beam radiation, 1547
Electroplating, 41
Electrospray ionization mass spectrometry (ESI-MS), 1589
Elemental analysis, 597, 1495
Elemental diffuse reflectance, 501
Elongational deformation, 411
Elongational flow technique, 661
Emulsion copolymerization, 419
Emulsion polymerization, 793
Emulsion polymerization kinetics, 119
End groups, 211
Enhanced oil recovery, 9
Epoxide oligomers, 1183
Epoxy groups, 25
Epoxy Hardeners, 127
Epoxy resins, 177, 769, 1161
Epoxy-modified YBCO superconductors, 1679
Epoxy–Anhydride System, 1413
Equilibrium isotherms, 817
Ethylene–propylene–rubbers (EPM), 1781
EVOH phase, 1749
Extractable sol, 1797
Extrudates, 837

Ferry's reduction method, 1349
Fiber optic, 667
Fiber-reinforced thermoplastic composites, 1651
Fibers, 169, 253, 289, 517, 869, 1085, 1169, 1245
Fibers, optothermal properties, 1355
Fiber–matrix interface, 959
Filler content, 1557
Fillers, 253
Film thickness, 1547
Films, 33, 425, 747, 995, 1039, 1077, 1151, 1537, 1707
Fine copolymer particles, 441
Finemann–Ross method, 1495, 1651
Flame retardants, 925
Flame-retardant polymers, 113
Flow-induced crystallization, 1455
Fluorescent tracer, 1077
Fluorinated poly(imide–amide–sulfone)s, 527
Fourier transform infrared (FTIR) spectroscopy, 355, 667, 1557
Fourier transform infrared spectroscopy (FTIR), 1651
Fractional chemical conversion, 1207
Fracture mechanism, 1059
Fracture toughness, 979, 1065
Fractures, 545
Free radical copolymerization, 1495
Free radicals, 231
Free volume, 1207
Free-radical crosslinking copolymerization, 477
Free-standing film, 1683
Friedel–Crafts syntheses, 1397
Functionality distribution, 1797
Functionalization, 533
Functionalization of cellulose, 25
Fusion, 51

Gamma irradiation, 591, 1275
GAP/PSAN solid rocket propellant, 365
Gas desorption behavior, 1511
Gel extraction of macromolecules, 285

Gel permeation chromatography (GPC), 485, 509, 1381
Gelatin, 73
Gels, 285, 477, 653
Glass transition, 1161
Glass transition temperature, 1183
Glass transition temperature (T_g), 1207
Gold dopants, 995
Gradient-index (GRIN) polymers, 1179
Graft copolymerization, 1197, 1299, 1707, 1715
Graft polymerization, 263
Grafting, 25, 33, 747, 1133, 1423
Gravimetric permeation cell, 823
Greenhouse films, 279

Halocarbons, 495
Hand lay-up technique, 1045
Hardener, 177
Helix–coil transition, 661
Henequen cellulosic fibers, 1245
High molecular weight, 65
High performance fibers, 869
High performance, high temperature polymer thin films, 615
High-energy resolution XPS, 597
High-pressure liquid chromatography (HPLC), 1581
High-speed mechanical stirring, 91
High-temperature thermoplastic materials, 1435
^{1}H-NMR spectroscopy, 9
Homopolymer compositions, 377
Hot-stage microscopy, 1085
HREELS, 597
Huggins constants, 1561
Hydroformylation, 533
Hydrogels, 73, 285, 301, 317, 397, 1151
Hydrogen bond formation, 1537
Hydrogenation, 721
Hydrogenolysis, 1127
Hydrolytic degradation, 1275
Hydrolytic thermal degradation, 97
Hysteresis, 1065
Hysteresis loops, 637

Image-processing technique, 1739
Imaging systems, 1179
Imidization, 1625
Impact fracture energy absorption, 1113
Impact resistance, 793
Impact testing, 345
In situ polymerization, 591
In situ second harmonic generation (SHG) observation, 1625
Infrared (IR) spectroscopy, 9, 1197, 1519
Injection molding, 1487
Interfacial adhesion, 1093, 1113, 1607
Interfacial adhesion promotion, 641
Interfacial filler–polymer adhesion, 1093
Interfacial tension, 1015
Interfacial-gel copolymerization, 1179
Interleaf composites, 461
Interpenetrating polymer network (IPN), 73
Interpenetrating polymer networks (IPNs), 1731
Intrinsic viscosity numbers, 1561
Inverse gas chromatography (IGC), 51
Ionic interactions, 1239
Iron(III) chelating resins, 1231
Irradiation temperature, 1275
Isomerization, 1007
Isoprene prepolymers, 721
Isotactic polypropylene (iPP), 1323
Isotactic polypropylene powder, 1197
Isothermal aging, 1169
Isothermal cure kinetics, 1029
Izod impact strength (IIS), 1113

J-integral methods, 1065

Kapton film, 135
Kelen–Tudos method, 9
Kinetic chain-length measurements, 1299
Kinetics, 1141, 1299
Krigbaum and Wall theory, 247

Lamination, 667
Latex blending, 451
Latex films, 387
Latex particles, 1263
Lewis acids, 633
Light guides, 1179
Light-induced graft copolymerization, 747
Limited particle coagulation, 119
Limiting oxygen index (LOI), 113
Linear aromatic polymers, 1397
Linear viscoelastic behavior, 947
Liquid crystalline (LC) polymers, 1661
Liquid crystallinity, 471
Liquid-crystal polymers (LCPs), 1487
Liquid-phase graft reaction, of hydroquinone (HQ), 1505
Local area networks (LAN), 1179
Localized plastic deformation, 979
Low density polyethylene thin films, 1789
Low molecular weight dopants, 1479
Low temperature plasma techniques, 325
Low-density polyethylenes (LDPE), 1455

MAA/MAM Pregrafting, 625
Magnetic measurements, 1519
Material parameters, 1465
Mechanical alloying, 557
Melamine–formaldehyde resins, 1523
Melt flow rate (MFR), 1761
Melt polycondensation, 471
Melt processing, 837, 1015
Melt viscosity, 239, 1183
Melt-spun isotactic polypropylene filaments, 1761
Melting temperature, 653
Metal Corrosion Inhibitor, 1495
Metal ions, 147, 1239
Metal nitrates, 925
Metal–polymer interface, 995
Micro-Brownian motion, 1161
Microflocculation, 451
Microphase separation temperature (MST), 947

Microporous polypropylene hollow fibers, 253
Miscibility, 57, 79, 201, 247, 761
Mixed solvent, 877
Molecular weight, 211
Molecular weight distribution (MWD), 1761
Molecular weights, 1381
Monomer concentration, 747
Monomers, 877
Multidetector size exclusion chromatography (SEC), 211
Multistage stabilization, 289

Nafion™, 697
Natural rubber, 817
Natural rubber latex, 91
New thermoplastic polyimide (New TPI), 985
Nitrile, chemical transformation, 1667
Nonlinear polymerization reactions, 1797
Nonlinearity, 161
Nonreactive solubilizing agents, 1673
Nonsol solvents, 433
Notched Charpy impact resistance, 1599
Novel polymeric alcohols, 533
Nuclear magnetic resonance (NMR) spectroscopy, 79
Nylon 6, 895

Optical polarizing microscopy, 1661
Optical probes, 697
Optical rotary dispersion (ORD) studies, 661
Organic gelation synthesis, 1239
Organic reactions, 1805
Oscillating torques, 967
Oxazoline groups, 1673
Oxidation, 1479
Oxidative degradation, 925
Oxime resin, 1519
Oxygen permeability value (OPV), 1749
Oxygen-permeable hydrogel, 317

Particle dispersion, 1313
Peel strength, 201
Peptides, 1127
Perfluorocarbons, 495
Permeation method, 823
Permeation property, 1479
Permselective membranes, 1133
Pervaporation, 739, 1567
PET crystallization rate, 1107
pH change, 661
Phase contrast microscopy, 1371
Phase transformation diagrams, 985
Phenolic acid fraction, 915
Photocrosslinking, 935, 1187
Photografting, 25, 147
Photon correlation spectroscopy (PCS), 905
Photopolymerization, 715
Photoresist/polymer compatibility, 1039
Photoresponsive permeability, 707
Physical aging, 1511
Pinus radiata, 905, 915
Planar wave guides, 1039
Plasma graft polymerization, 135
Plasma induced polymerization (PIP), 461
Plasma polymerization, 615
Plasma Polymers, 597
Plastic deformation mechanisms, 1607
Plasticized poly(vinyl chloride) (PVC), 1187
Plasticized polymer electrolytes, 1635
Plasticizer migration, 1187
PMMA seeded soapless emulsion polymerization, 1263
PMMA-PIB interphase domain, 1527
Polarity, 1313
Polarity values, 1567
Poly(vinyl alcohol) (PVA) hydrogels, 653
Polyacrylates, 1239
Polyamide powders, 557
Polyaniline (PAn), 1479
Polyaniline/polypropylene composites, 831
Polycondensates, 501
Polyelectrolyte complex, 707
Polyester resins, 1589
Polyflavonoid Tannins, 633, 1645
Polyimide (PI) films, 1707
Polyimides, 1295
Polymer dopants, 1479
Polymer matrix, 1635
Polymer matrix composites, 985
Polymer prepregs, 667
Polymer-anchored metal complexes, 501
Polymer-dispersed liquid crystal (PDLC) films, 1547
Polymer/water interaction, 397
Polymerization, 877
Polymerization-induced phase separation, 1547
Polymer–solvent systems, 817, 823
Polyphenolic tannin resins hardening, 1645
Polypropylene (PP) films, 1505
Polypyrrole–PCB composites, 41
Polysulfides, 1581
Polytoluidine Free-Standing Film, 1683
Polyurethane foams, 127
Polyurethane hydrogels, 301
Polyvinyl chloride (PVC) extrudates, 51
Positron annihilation lifetime (PAL), 779
Postconsumer soft-drink bottles, 405
PP/Natural rubber blends, 239
Pressure-sensitive adhesives, 1615
Printed circuit boards (PCBs), 41
Proanthocyanidins, 905
Protein adsorption, 1615
Protonation, 355
Pseudokinetic constant method, 1221
PVC-based medical devices, 1187
Pyrolysis in combination with gas chromatography (P–GC), 889

Radical chain polymerization, 1141
Radio frequency (RF) plasma, 461
Rate parameters, 1715
Reactive blending technology, 1599
Reactive extrusion, 239
Reactors, 419
Real-time nondestructive

monitoring, of diffusion, 1077
Recycled poly(ethylene terephthalate) (PET), 757
Recycling, 127, 405
Relative humidity (RH), 1397
Relaxation modulus, 365
Renewable resources, 1731
Reprocessing, 1487
Residual acid, 1625
Resins, 1231, 1523, 1589, 1645
Rheologic behavior, of Ryton PPS, 581
Rheology, 581
Rice husk ash (RHA), 1557
Rolling contact, 311
Rolling contact fatigue, 311
Rubber compounds, 967, 1367
Rubber degradation, 91
Rubber–solvent systems, 817, 823

Saccharose, 653
Scanning calorimetry (DSC), 397
Scanning electron microscopy (SEM), 41, 79, 169, 739, 959, 1169, 1313
Second-order nonlinear optical (NLO) polymers, 1625
Seeded emulsion copolymerization, 575
Seeded soapless emulsion polymerization, 1263
Segmented block copolyetheramides, 895
Self-bonding, of amorphous PEEK films, 1435
Self-crosslinking, 575
Self-metallizing polyimide films, 995
Semibatch conditions, 1141
Semibatch emulsion polymerization, 221, 231
Semicrystalline polyamide polymer, 557
Sequential extraction, 915
Sequential mobility, 1007
Šesták–Berggren equation, 1413
Shear Deformation, 411
Shear stress relaxation properties, 411
Shear-thickening, 637
Shrinkage behavior, 1085
Siliceous coatings, 1
Silicone hydrogel materials, 317
Silk fibroin, 1537
Simulated waste fraction, 641
Simultaneous homopolymerization, 1299, 1715
Single lap-shear test, 1435
Singlet oxygen, 747
Size-exclusion chromatography (SEC), 65
Sizing agents, 263
Slow crack growth, 1465
Smith–Ewart case II kinetics, 119, 221, 231
Sol diluents, 433
Solid phase peptide synthesis, 1127
Solid polymer electrolytes (SPE), 1635
Solid-state extrusion process, 837
Solid-state polycondensation, 405
Soluble polyimides, 1295
Solution polycondensation, 527
Solution spinning method, 869
Solvent swelling, 1527
Solvent-interaction parameters, 779
Solvents, 495, 1295
Sorption, 779
Sorption uptake method, 823
Spalling, 1085
Spinnability, 1761
Stability constants, 1231
Standards, 1781
Starch, 263
Starch solutions, 637
Stepwise monomer addition method, 567
Steric hindrance, 1231
Stimuli-responsive systems, 707
Stress, 411
Stress relaxation, 1349
Stress rupture, 1169
Stress–strain responses, 769
Structure identification, 1253
Structure–property relationships, 895
Sty/BA Latices, 377
Styrene–acrylonitrile (SAN) copolymers, 1667, 1673
Styrene–butadiene copolymer reinforced asphalts, 57
Styrene–butadiene–styrene (SBS) block copolymers, 947
Sulfonation, 853
Superconductors, 1679
Supernucleophilic catalysts, 1805
Superplasticizers, 153, 1523
Surface chemistry of plasma-deposited films, 597
Surface failure, 311
Surface modification, 325, 355, 1707
Surface modifier, 1651
Surface-functionalized polymer substrates, 355
Surfactant mobility, 377
Surfactant molecules, 387
Surfactant/latex copolymer compatibility, 387
Surgical adhesives, 715
Suspension polymerization, 433
Swelling, 477
Synthetic biodegradable polymers, 1275

Tandem mass spectrometry, 1589
Tannin, 633, 1645
Teflon–FEP film, 1133
Tensile modulus, 365
Tensile strength, 517
Tensile stress–strain, 411
Tensile testing, 895
Textured surfaces, 1739
Theory of the moments of chain length distribution, 1221
Thermal characterization, 889
Thermal degradation, 803
Thermal expansion, 1339
Thermal gravimetric–differential thermal analysis (TG–DTA), 1295
Thermal stability, 1239
Thermogravimetric analysis (TGA), 485, 739, 1197, 1731
Thermogravimetry (TG), 113, 889
Thermoplastics, 51
Thermosetting materials, 1207, 1687
Thermotropic copolyesters, 471

Thermo–optical analysis (TOA), 889
Time–temperature superposition theory, 365
TPX membrane, 739
Transcrystallinity, 959
Transesterification, 79
Transient flow effects, 637
Translational diffusion, 97
Transmission electron microscopy (TEM), 441, 575, 1263, 1607
Transmission vs. voltage curves, 1547
Tribological properties, 853
Two (or three)-angle laser light-scattering (TALLS), 65

Ultrafiltration (UF) membranes, 325
Ultrafine metal particles, 441
Ultrahigh molecular weight polyethylene (UHMWPE) fibers, 959
Ultraviolet (UV), 301
Ultraviolet (UV) copolymerization, 715
Ultraviolet (UV)-irradiation, 935
Uniaxial tension tests, 365
Unsaturated polyester resin, 757

Vapor Sorption, 779
Vinyl chloride (VC)–divinyl monomer suspension copolymerization, 1221
Viscoelasticity, 979
Viscoelasticity, of PEK-C, 1349
Viscometry method, 247
Viscosimetry, 177
Volume changes, 1527
Volume fractions, 1599
Vrentas–Duda free volume model, 817
Vulcanization, 967, 1581

Water-soluble copolymers, 9
Water–cement ratio, 153
Wave guides, 1039
Weather-induced degraded plastics, 279
Wettability measurements, 33
Wide angle x-ray diffraction (WAXD), 1045, 1371
Wide angle x-ray diffractometry (WAXD), 895
WLF equation, 1349
Wood–polymer composites (WPC), 591

X-ray diffraction (XRD) analysis, 441, 485, 501
X-ray diffractometry (XRD), 1323
X-ray fiber diffraction profiles, 271
X-ray photoelectron spectroscopy (XPS), 355, 677

Yield stress, 979, 1599
Young's Modulus, 979, 1599

ZnO dispersion, 1367
^{65}Zn radioisotope, 1367